GENERAL INDEX TO VOLUME XXX

New scientific names of plants and the final members of new combinations are printed in bold-face type; synonyms and page numbers having reference to figures and plates, in italics; and previously published names and all other matter, in ordinary type.1

Agars used for plating yeasts, 72 Alismaceae of Panama, 100

American carboniferous floras, Contribu-tions to our knowledge of: VI. Certain Filicinean fructifications, 429

Anatomy, vascular, of the cycadeoid cone axis, On the, 421

Anderson, Edgar. The seeds of Tradescantia micrantha, 69; A variety of maize from the Rio Loa, 469; and R. H. Barlow. The maize tribute of Moctezuma's empire, 413; Isabel Kelly and. Sweet corn in Jalisco, 405

Andrews, Henry N. Contributions to our knowledge of American carboniferous floras. VI. Certain Filicinean fructifications, 429; On the vascular anatomy of the cycadeoid cone axis, 421

Anemia sp., 430

Anemone, 9; birsutissima, 43; patens var. birsutissima, 43; sect. Pulsatilla, 9. Anheuser-Busch yeast investigations, 71

Annonaceae, Panamanian, 86

Aristida planifolia, 145 Asterotheca, 429, 436; parallela, 436; truncata, 436

Astragene, 1, 2; zeylanica, 1

Atole in Jalisco, 410

Atotonilco el Grande, page from 'Matricula' devoted to tribute of, 420

Axonopus caespitosus, 185

Aztec tributes, 413

Bailey, L. H. Palmaceae of Panama, 327 Banisteria schizoptera, 94

Banisteriopsis inebrians, 94; lucida, 94; scalariformis, 93

Barlow, R. H., Edgar Anderson and. The maize tribute of Moctezuma's empire, 413

Barometric pressure, effect of, on tree growth, 450

Begonia conchaefolia, 95; Pittieri, 95; pumilio, 95

Begoniaceae, Panamanian, 95

Beilmann, August P. Some hourly observations of tree growth, 443

Blandy Experimental Farm, corn grown at, 407, 409

Bocas del Toro, Miscellaneous collections, chiefly by H. von Wedel, in, 83

Bromeliaceae of Panama, 83

Butomaceae of Panama, 103

Calyptranthes tumidonodia, 95

Carbohydrate protein mash agar for plating

yeasts, 72

Carboniferous floras, Contributions to our knowledge of. VI. Certain Filicinean fructifications, 429

Catopsis Berteroniana, 83; micrantha, 83, 83; Morreniana, 84; nitida, 84; nutans,

Chile, a variety of maize from, 469

Ciona, cross-fertilization of, 461 Clarisia mexicana, 85; mattogrossensis, 85;

mollis, 85 Clematis section Viorna, Taxonomy of, 1, 12; distribution of species, 6,

Clematis, 12; Addisonii, 18; Addisonii, 19; albicoma, 37; arizonica, 48; sect. Atragene, 9; Bakeri, 43; subsect. Baldwinianae, 41; Baldwinii, 41; Beadlei, 24; Bigelovii, 49; Bigelovii, 48, var. arizonica, 48;coccinea, 21, var. major, 21, var. parviflora, 21, var. segrezianus, 21; coloradoensis, 25; cordata, 31; "Countess of Onslow," 11; crispa, 31; crisps var. Walteri, 31; cylindrica, 31; dictyota, 30; divaricata, 31; Douglasii, 42, var. Bigelovii, 43, 48, 7. Jonesii, 43, a. normalis, 43, a. normalis 2. erectisepala, 43, f. pulsatilloides, 43, var. rosea, 43, var. Scottii, 47, B. Wyethii, 43; "Duchess of Albany," 11; eriopbora, 43; subsect. Euviornae, 14; filifera, 30,

¹ For Woodson & Schery's "Flora of Panama" only the plant families and new entities will be included in the Annals Index, since a complete Index will be appended at the end of each volume of the "Flora."

var. incisa, 30; flaccida, 17; sect. Flammula, 9; Fremontii, 39, distribution of, 63, leaf outline, 40, var. Riehlii, 40, 62, 63, distribution of, 63, 65, leaf outline, 40, mature plant of, growing on glade, 66; fusca, 9; Gattingeri, 17; glaucophylla, 19; Henryi, 9; hirsutissima, 42, var. arizonica, 48, var. Scottii, 47; subsect. Hirsutissimae, 42; integrifolia, 9, γ. Fremontii, 39, α. ochroleuca, 35, α. ochroleuca c. crispiflora, 35, a. ochroleuca b. cylindrica, 35, a. ochroleuca d. incisodentata, 35, a. ochroleuca a. parviflora, 35, a. ochroleuca e. subverticillata, 35, a. ochroleuca 2. tomentosa, 35, \$. ovata, 35, β. ovata 2. subglabra, 35; subsect. Integrifoliae, 35; "Jackmani," 10; Jonesii, 43; lanuginosa, 9; lineariloba, 31; obliqua, 31; ochroleuca, 35; ochroleuca, 37, var. Fremontii, 39, var. ovata, 35, var. serices, 36, 37; ovata, 18, 35, 37, 38; Palmeri, 48; paniculata, 10; Pitcheri, 25, var. filifera, 30; Pitcheri, 31, var. Bigelovii, 49, var. lasiostylis, 25, 29, var. leiostylis, 25, var. Sargenti, 25; plattensis, 47; reticulata, 22; rosea, 50; Sargenti, 25; Scottii, 47, var. eriopbora, 43; sericea, 35; Simsii, 25, 31, δ. filifera, 30, 2. lasiostylis, 25, 1. leiostylis, 25, γ. lobata, 25, β. normalis, 25, a. Pitcheri, 25, a. Pitcheri 3. chrysocarpa, 25, a. Pitcheri 2. micrantha, 25, var. Sargentii, 25; striata, 50; texensis, 21, var. parviflora, 21, var. typica, 21; troutbeckiana, 20; uniflora, 35; sect. Urnigerae, 12; versicolor, 20, f. pubescens, 22; Viorna, 14, var. flaccida, 17; Viorna, 17, 19, var. coccinea, 21, 8. coccinea, 21, 8. coccinea 2. parviflora, 21, 8. coccinea 3. segreziensis, 21, y. normalis, 14, var. Pitcheri, 25, β. reticulata, 22, 25, β. reticulata 3. flavida, 22, B. reticulata 2. membranacea, 25, reticulata 5. obtusifolia, 25, reticulata 4. Sargenti, 25; sect. Viorna, 1, 12; viornioides, 18; Vitalba, 10; viticaulis, 38; Viticella, 35; Viticella a. crispa, 31, a. crispa 2. leiostylis, 31, a. crispa 1. pilostylis, 31; Viticella y. Walteri, 31, y. Walteri 2. lineariloba, 31; subsect. Viticellae, 31; Walteri, 31; Wyetbii, 43

Clematis Fremontii var. Riehlii, Population size and geographical distribution of, 63,

63, 65

Clematitis crispa, 31
Coal-beds, fossil plants found in, 429
'Codex Mendocino,' 413
Colonies of commercial yeasts, environmen-

tal and genetical variations in yield and size, 71, 80, 82

Contributions to our knowledge of American carboniferous floras. VI. Certain Filicinean fructifications, 429

Contributions toward a flora of Panama. VII. Miscellaneous collections, chiefly by H. von Wedel in Bocas del Toro, 83

H. von Wedel in Bocas del Toro, 83
Copulation, Segregation, mutation and, in
Saccharomyces cerevisiae, 453

Corn: A variety of, from the Rio Loa, 469, 474; as a tribute of Moctezuma's empire, 413; Sweet, in Jalisco, 405, 412, cytology of, 409, internode diagram of a typical plant, 408, longitudinal section of a kernel, 406; prehistoric, 472, 474

of a kernel, 400; prehistoric, 472, 474 Cross-fertilization mechanism of yeasts and other plants, 461

Cultural data on sweet corn in Jalisco, 410 Cycadaceae of Panama, 97

Cycadeoid cone axis, On the vascular anatomy of the, 421

Cycadeoidea, 421, 422; Broxiana, 424, 424, 425, 426, 427, taxonomy of, 423; Wielandii, 422

Cyclanthaceae of Panama, 396
Cymbopetalum magnifructum, 87
Cyperaceae of Panama, 281
Cytology: of Jaliscan sweet corn, 409; of section Viorna of Clematis, 10

D

Dactylotheca, 429, 436; plumosa, 432
Daylight, relation of, to tree growth, 445, 450
Dendrograph record of tree growth, 444
Digitaria hirsuta, 172
Diplophase cultures of Saccharomyces cerevisiae, 454, 457, 465

E

Economic value of species of Clematis, 10; of Jaliscan sweet corn, 409

Environmental and genetical variations in yield and colony size of commercial yeasts, 71

Environmental conditions, effect of, on tree growth, 443

Erickson, Ralph O.: Population size and geographical distribution of Clematis Fremontii var. Riehlii, 63; Taxonomy of Clematis sect. Viorna, 1

Esquite, preparation of, in Jalisco, 411 Euchlaena, 473

F

Ferns, Fossil, 429

Ferris Mountains of Wyoming, fossil cycad locality in, 421
Festuca chiriquensis, 116
Filicinean fructifications, Certain, 429
Flora of Panama: Part II, Fascicle 1, 97;
Fascicle 2, 281; Contributions toward a, VII. Miscellaneous collections, chiefly by H. von Wedel in Bocas del Toro, 83
Fossil cycads, 421

G

Genetical variations, Environmental and, in yield and colony size of commercial yeasts, 71, 80, 82 Genetics: of Jaliscan sweet corn, 405; of a variety from the Rio Loa, 469 Geographical distribution of Clematis Fremontii var. Riehlii, 63 Glades, dolomitic, growth of Clematis Fremontii var. Riehlii on, 64, 65, 66 Glyphs in the 'Matricula de Tributos,' 413, 419 Gramineae of Panama, 104 Growth of the tree, effect of environment on, 443 Guzmania coriostachya, 84; Donnellsmithii, 84; nicaraguensis, 84

H

Haplophase cultures of Saccharomyces cerevisiae, 453, 457, 464, 466; segregation and mutation of, 456; copulations between, 460, 461
Heterogeneity of commercial yeasts, 73, 74
Hoffmannia aeruginosa, 96
Humidity, relative, effect of, on tree growth, 449
Hybrid yeasts, 453
Hygro-thermograph, 449
Hymenomycetes, cross-fertilization mechanism of, 462

I

Icacinaceae, Panamanian, 95
Instruments for recording activities of the tree, 444

]

Jalisco, Sweet corn in, 405; cytology of, 409; distribution of, 409; internode diagram of typical plant, 408; longitudinal section of kernel, 406; two ears from Unión de Tula, 412; morphology of, 406; uses of, 409

K

Kelly, Isabel, and Edgar Anderson. Sweet corn in Jalisco, 405

I

Lasiacis longiligula, 232; lucida, 231 Leguminosae, Panamanian, 88 Leretia cordata, 95

Lindegren, Carl C. and Gertrude Lindegren: Environmental and genetical variations in yield and colony size of commercial yeasts, 71; Segregation, mutation, and copulation in Saccharomyces cerevisiae, 453

Lindegren, Gertrude, see Lindegren, Carl C. Loa, Rio, A variety of maize from the, 469, 474

Lonchocarpus monofoliaris, 89; unifoliolatus, 90 Luziola subintegra, 165

ra, 165

Macrolobium floridum, 88; ischnocalyx, 88; modicopetalum, 88; punctatum, 89 Maize: in Jalisco, 405; tribute of Moctezuma's empire, The, 413; A variety of, from the Rio Loa, 469, 474, morphology of, 467, internode diagrams of plants, 471; prehistoric, 467, 474 Malpighiaceae, Panamanian, 93 Malt-dextrose agar for plating yeasts, 72 Marattiaceae, 434 'Matricula,' page of, showing tributes of Atotonilco el Grande, 420 Maydeae, 473 Media used in yeast investigations, 71; growth of yeast colonies on, 80, 82 Mexican corn, 405, 413, 469 Mexico, Moctezuma's empire in, 413 Moctezuma's empire, The maize tribute of, 413; map showing approximate distribution of, at time of conquest, 417; provinces of, 413, 415; area from which tribute collected, 417

Moraceae, Panamanian, 85
Morinda citrifolia, 96
Morocho, 467
Muhlenbergia attenuata, 138; emersleyi, 139
Mutation, Segregation, and copulation in
Saccharomyces cerevisiae, 453
Myrtaceae, Panamanian, 95

N

Nadsonia, budding of, 463 Nahuatl tributes, 413 Naravelia, 1, 9 Nazca corn, 469, 472, 474 Neea pycnantha, 85; xanthina, 86 Neurospora, cross-fertilization mechanism of. 462 Nutrients, relation of, to yeast yields, 71 Nyctaginaceae, Panamanian, 85

Oak, Bur, hourly observations of growth of, 444 Oriental vs. Occidental varieties of corn, 469, 472 Ormosia fastigiata, 92; panamensis, 92; stipitata, 90, 91

Paleobotany, 421, 429 Palmaceae of Panama, 327 Panama: Contributions toward a flora of. VII. Miscellaneous collections, chiefly by H. von Wedel in Bocas del Toro, 83; Flora of, Part II, Fascicle 1, 97; Fascicle 2, 281 Panicum rigidum, 215 Paramecium, cross-fertilization mechanism of, 462 Pariana strigosa, 257 Pecopteris plumosa var. dentata, 430, 432, 439; venation and shape of superior and inferior basal pinnules of, 433 Pharus longifolius, 163 Phyllonoma ruscifolia, 88 Physiological activity of trees, effect of environment on, 443 Pinole, preparation of, in Jalisco, 411 Pitcairnia aphelandraeflora, 84 Plating technique for purification of yeast mixtures, 73 Ponteduro, preparation of, in Mexico, 411 Population size and geographical distribution of Clematis Fremontii var. Riehlii, Precipitation, effect of, on tree growth, 448 Prehistoric corn, 469, 474 Pressure, barometric and internal, effect of, on tree behavior, 450 Prune agar for plating yeasts, 72 Psychotria solitudinum, 96 Pulsatilla hirsutissima, 43; patens subsp. birsutissima, 43

Quercus macrocarpa, hourly observations of growth of, 444

Rhizopus, cross-fertilization mechanism of, 461 Rio Loa, A variety of maize from the, 469 Rubiaceae, Panamanian, 96

Saccharomyces apiculatus, spores of, 463 Saccharomyces cerevisiae: Segregation, mutation and copulation in, 453, 464, 465, 466; life cycle of, showing relationship with Torula and Zygosaccharomyces, 459 Saccharomycetes, 453

Sauer, Carl and Jonathan, Maize collection of, 469

Saxifragaceae, Panamanian, 88 Schery, Robert W., Robert E. Woodson, Jr. and: Contributions toward a flora of Panama. VII. Miscellaneous collections chiefly by H. von Wedel in Bocas del Toro, 83; and collaborators. Flora of Panama, Part II, Fascicle 1, 97; Fascicle 2, 281

Schizaeaceae, 429 Schubert, B. G., L. B. Smith and. Panamanian Begoniaceae determined by, 95 Scolecopteris, 434; Radforthii, 435, 440, 441, 442; parallela, 436; truncata, 436 Seeds of Tradescantia micrantha, The, 69, 69

Segregation, mutation and copulation in Saccharomyces cerevisiae, 453

Senftenbergia, 429; plumosa var. Jonesii, 430, 438, 440

Smith, L. B., Panamanian Bromeliaceae determined by, 83; and B. G. Schubert. Panamanian Begoniaceae determined by,

Soil temperatures, effect of, on tree growth,

Spanish tribute in Mexico, 413

Standley, P. C., Panamanian plants de-termined by: Moraceae, 85; Nyctaginaceae, 85; Rubiaceae, 96

Sunshine, effect of, on tree growth, 445, 450 Svenson, H. K. Cyperaceae of Panama, 281 Swallen, Jason R., Gramineae of Panama,

Swartzia caribaea, 93; nuda, 92 Sweet corn in Jalisco, 405

Taxaceae of Panama, 98 Taxonomy of Clematis section Viorna, 1 Temperature: air, effect of, on tree growth, 444, 450; internal, of trees, effect of, on growth, 447; of soil, effect of, on tree growth, 448; wind movement and, 450

Thecophyllum pedicellatum, 84 Thrasya ciliatifolia, 175; gracilis, 176

Tillandsia adpressa var. Tonduziana, 84; fasciculata var. convexispica, 84, var. unispica, 84; guanacastensis, 85; nutans, 83; singularis, 85

Tlapalizquixochitl tree, 414, 414

Torula, 462; haploid cultures of, 453; life cycle of, 459

Torulopsis, 453, 462; life cycle of, 459 Tradescantia brachyphylla, 69; micrantha, Seeds of, 69, 69; Wrightii, 69

Transpiration, effect of, on tree temperature, 446

Tree growth, Some hourly observations on,

Tribute list of Moctezuma's empire, the original, 413; page from, 419

Tribute, The maize, of Moctezuma's empire, 413; area from which collected, 417, 417; interval of payment, 417; provinces paying, 415; size of, 416

Triuridaceae of Panama, 104 Typhaceae of Panama, 99

v

Variations, Environmental and genetical, in yield and colony size of commercial yeasts, 71, 80, 82

Vascular anatomy of the cycadeoid cone axis, On the, 421

Viburnum, 12

Viorna, Taxonomy of Clematis, section, 1, 3; distribution of species of, 6, 7, 8

Viorna, 12; Addisonii, 18; albicoma, 37; arizonica, 48; Bakeri, 43; Baldwinii, 41; Beadlei, 24; Bigelovii, 49; coccinea, 22; crispa, 31, var. Walteri, 31; cylindrica, 31; dictyota, 30; Douglasii, 43, mut. rosea, 43; eriopbora, 43; filifera, 30; flaccida, 17; Fremontii, 39; Gattingeri, 17; glaucophylla, 19; birsutissima, 43; Jonesii, 43; obliqua, 31; ochroleuca, 35, 37; ovata, 37; Palmeri, 49; Pitcheri, 25; reticulata, 22; Ridgwayi, 14; Scottii, 47; Simsii, 25; subreticulata, 22, 24; urnigera, 14; versicolor, 20; Viorna, 14; Wyethii, 43

Viticella, 1; crispa, 31 Vouapa Pittieri, 89

W

Water absorption, effect of, on tree growth, 446, 448

Weather, effect of, on physiological processes of the tree, 443

von Wedel, Miscellaneous collections of, in Bocas del Toro, 83

Wind movement, effect of, on tree growth, 450

Woodson, Robert E., Jr. and Robert W. Schery: Contributions toward a flora of Panama. VII. Miscellaneous collections chiefly by H. von Wedel in Bocas del Toro, 83; and collaborators. Flora of Panama, Part II. Fascicle 1, 97; Fascicle 2, 281

Wyoming, fossil cycad locality in, 421

X

Xylopia amazonica, 87; bocatorena, 86; brasiliensis, 87

Y

Yeasts: cross-fertilization mechanism of, 462; rough, 455; smooth, 455; size of colonies, 71, 80, 82; Segregation, mutation and copulation of, 453; commercial, Environmental and genetical variations in yield and colony size of, 71, 80, 82

Z

Zea Mays, 280, 405, 467 Zeugites mexicana, 128, 129; panamensis, 128